

33-
APN #1420-06-602-019*

* SEE ATTACHED

RECORDING REQUESTED BY AND RETURN TO:

AEP-SPAN, A Division of ASC
PROFILES, INC.
2110 ENTERPRISE BOULEVARD
W. SACRAMENTO, CA 95691
Phone (916) 376-2838
Fax (916) 372-5442

REQUESTED BY
ASC Profiles Inc
IN OFFICIAL RECORDS OF
DOUGLAS CO. NEVADA

2003 NOV 14 PM 2:37

WERNER CHRISTEN
RECORDER

\$ 33⁹² PAID KJ DEPUTY

NOTICE OF LIEN

(Nev. Rev. Stat. Sec. 108.226)

The undersigned claimant, AEP-SPAN, A Division of ASC PROFILES, INC., hereby claims a lien as follows:

The claimant's demand, after deducting all just credits and offsets, is the sum of \$26,405.44, including service charges or interest at the rate of 10.000% per annum from the date the amount became due.

The name of the owner(s) or reputed owner(s), if known, is AIG BAKER, 1701 LEE BRANCH LANE, BURNINGHAM, AL 35242.

The name of the person by whom the claimant was employed, or to whom the claimant furnished the material, is SOUTHEM & ASSOCIATES, 450 W STATE ROAD, PLEASANT GROVE, UT 84062.

A general description of the labor performed or materials that were last furnished: METAL BUILDING MATERIAL.

A description of the property to be charged with the lien is the CARSON VALLEY PLAZA project, located at 955 TOPSY LANE, CALSON CITY, NV 89705, in the County of DOUGLAS.

SEE ATTACHED EXHIBIT A

A statement of the terms, time given and conditions of the contract, if any, are listed in Exhibit E, if attached.

Dated 11/10/2003 for AEP-SPAN, A Division of ASC PROFILES, INC., 2110 ENTERPRISE BOULEVARD, W. SACRAMENTO, CA 95691

By: Roger Slaboch
ROGER SLABOCH, CREDIT MANAGER

VERIFICATION


I declare that I am authorized to file this claim on behalf of the claimant. I have read the foregoing document and know the contents thereof; the same is true of my own knowledge. I declare under penalty of perjury that the foregoing is true and correct. Executed at W. SACRAMENTO, CA on 11/10/2003 for AEP-SPAN, A Division of ASC PROFILES, INC..

By: Roger Slaboch
ROGER SLABOCH, CREDIT MANAGER

0596786

BK1103PG06469

1420-06-602-020
1420-06-602-021
1420-06-602-023
1420-06-602-027
1420-06-602-029
1420-06-602-017
1420-06-602-022
1420-60-602-024
1420-06-602-025
1420-06-602-015
1420-06-602-018



0596786

BK1103PG06470


CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

State of California }
County of Yolo } ss.

On 11/11/03 before me, Pam Streetman
Date Name and Title of Officer (e.g., "Jane Doe, Notary Public")
personally appeared Roger Slabach
Name(s) of Signer(s)

- personally known to me
- proved to me on the basis of satisfactory evidence

to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.



WITNESS my hand and official seal.

Pam Streetman
Signature of Notary Public

Place Notary Seal Above

OPTIONAL

Though the information below is not required by law, it may prove valuable to persons relying on the document and could prevent fraudulent removal and reattachment of this form to another document.

Description of Attached Document

Title or Type of Document: _____


Document Date: _____ Number of Pages: _____

Signer(s) Other Than Named Above: _____

Capacity(ies) Claimed by Signer

- Signer's Name: _____
- Individual
- Corporate Officer — Title(s): _____
- Partner — Limited General
- Attorney in Fact
- Trustee
- Guardian or Conservator
- Other: _____

Signer Is Representing: _____



0596786

BK1103PG06471

DOUGLAS COUNTY

EXHIBIT "A" - Page 1 of 12
PARCEL 1

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point from which the Center Section of said Section 6 bears South 36°13'43" West a distance of 1424.25 feet;

thence North 00°43'44" West a distance of 115.00 feet;


thence North 89°16'16" East a distance of 112.00 feet;

thence South 00°43'44" East a distance of 115.00 feet;

thence South 89°16'16" West a distance of 112.00 feet to the Point of Beginning.

Said parcel contains an area of approximately 12,880 square feet (0.296 acres).

Basis of Bearings; Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.



Legal Description Prepared by:
Nevada Professional Land Surveyor 6995
Lawrence F. Grube
Summit Engineering Corp
5405 Mae Anna Avenue
Reno, Nevada 89523

2-3-2003

0596786

BK1103PG06472

DOUGLAS COUNTY

EXHIBIT "A" - Page 2 of 12
PARCEL 2

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point from which the Center Section of said Section 6 bears South 43°52'48" West a distance of 1152.95 feet;

thence North 89°16'16" East a distance of 119.61 feet;


thence South 00°43'44" East a distance of 127.50 feet;

thence South 89°16'16" West a distance of 119.61 feet;

thence North 00°43'44" West a distance of 127.50 feet to the Point of Beginning.

Said parcel contains an area of approximately 15,251 square feet (0.350 acres).

Basis of Bearings: Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.



2-3-2003

Legal Description Prepared by:
Nevada Professional Land Surveyor 6995
Lawrence F. Grube
Summit Engineering Corp
5405 Mae Anne Avenue
Reno, Nevada 89523

0596786

BK 1103 PG 06473

R

DOUGLAS COUNTY

EXHIBIT "A" - Page 3 of 12
PARCEL 3

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point from which the Center Section of said Section 6 bears South 48°41'55" West a distance of 1065.95 feet;

thence North 89°16'16" East a distance of 119.61 feet;

thence South 00°43'44" East a distance of 127.50 feet;

thence South 89°16'16" West a distance of 119.61 feet;

thence North 00°43'44" West a distance of 127.50 feet to the Point of Beginning.

Said parcel contains an area of approximately 15251 square feet (0.350 acres).

Basis of Bearings: Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.

Legal Description Prepared by:
Nevada Professional Land Surveyor 6995
Lawrence F. Grube
Summit Engineering Corp
5405 Mae Anne Avenue
Reno, Nevada 89523



2-8-2003

0596786

BK 1103 PG 06474

DOUGLAS COUNTY

EXHIBIT "A" - Page 4 of 12
PARCEL 4

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point from which the Center Section of said Section 6 bears South $54^{\circ}31'20''$ West a distance of 1273.39 feet;

thence North $00^{\circ}43'44''$ West a distance of 98.41 feet;

thence North $89^{\circ}16'16''$ East a distance of 153.00 feet;

thence South $00^{\circ}43'44''$ East a distance of 123.23 feet;


thence North $82^{\circ}08'11''$ West a distance of 69.12 feet;

thence South $89^{\circ}16'16''$ West a distance of 70.16 feet to the Point of Beginning.

Said parcel contains an area of approximately 17,523 square feet (0.402 acres).

Basis of Bearings: Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records At Page 1320, Document No. 495561.

Legal Description Prepared by:
Nevada Professional Land Surveyor 6995
Lawrence F. Grube
Summit Engineering Corp
5405 Mac Anne Avenue
Reno, Nevada 89523



2-3-2003

0596786

BK1103PG06475

DOUGLAS COUNTY

EXHIBIT "A" - Page 5 of 12
PARCEL 5

A parcel of land sitsuate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point from which the Center Section of said Section 6 bears South 60°36'26" West a distance of 1173.51 feet;

thence North 00°47'24" East a distance of 98.33 feet;

thence North 45°01'50" East a distance of 20.23 feet;

thence North 89°16'16" East a distance of 60.26 feet;

thence South 86°25'58" East a distance of 43.25 feet;


thence South 82°08'11" East a distance of 50.16 feet;

thence South 00°43'44" East a distance of 101.75 feet;

thence South 89°16'16" West a distance of 169.09 feet to the Point of Beginning.

Said parcel contains an area of approximately 18,330 square feet (0.421 acres).

Basis of Bearings; Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.



2-8-2003

Legal Description Prepared by:
Nevada Professional Land Surveyor 6995
Lawrence F. Grube
Summit Engineering Corp
5405 Mae Anne Avenue
Reno, Nevada 89523

0596786

BK 1103 PG 06476

DOUGLAS COUNTY

EXHIBIT "A" - Page 6 of 12
PARCEL 6

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point from which the Center Section of said Section 6 bears South 55°19'41" West a distance of 1574.60 feet;

thence North 89°16'16" East a distance of 101.00 feet;



thence South 00°43'44" East a distance of 124.00 feet;

thence South 89°16'16" West a distance of 101.00 feet;

thence North 00°43'44" West a distance of 124.00 feet to the Point of Beginning.

Said parcel contains an area of approximately 12,524 square feet (0.288 acres).

Basis of Bearings: Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.



2-8-2003

Legal Description Prepared by:
Nevada Professional Land Surveyor #995
Lawrence F. Grube
Summit Engineering Corp
5405 Mae Anne Avenue
Reno, Nevada 89523

0596786

BK1103PG06477

DOUGLAS COUNTY

EXHIBIT "A" - Page 7 of 12
PARCEL 7

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point on the Easterly Right-of-Way of Vista Grande Boulevard from which the Center Section of said Section 6 bears South $89^{\circ}32'59''$ West a distance of 100.01 feet;

thence with said Right-of-Way North $00^{\circ}17'23''$ East a distance of 1211.46 feet;

thence along a tangent circular curve to the right with a radius of 36.00 feet and a central angle of $89^{\circ}14'47''$ an arc length of 56.08 feet to a point on the Southerly Right-of-Way of Topsy Lane;

thence with said Right-of-Way North $89^{\circ}32'09''$ East a distance of 416.38 feet;

thence along a tangent circular curve to the left with a radius of 540.00 feet and a central angle of $11^{\circ}24'42''$ an arc length of 107.55 feet;

thence departing said Right-of-Way with a non-tangent line South $00^{\circ}18'51''$ West a distance of 926.02 feet;

thence North $89^{\circ}32'49''$ East a distance of 729.25 feet to a point on the Westerly Right-of-Way of U.S. Highway 395;

thence with said Right-of-Way South $07^{\circ}48'25''$ West a distance of 335.28 feet;

thence departing said Right-of-Way South $89^{\circ}32'34''$ West a distance of 27.35 feet;

thence South $89^{\circ}32'59''$ West a distance of 1216.25 feet to the Point of Beginning.

Said parcel contains an area of approximately 21.374 acres.

Basis of Bearings: Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.


0596786

BK1103PG06478

DOUGLAS COUNTY

EXHIBIT "A" - Page 8 of 12

Legal Description Prepared by:
Nevada Professional Land Surveyor 6995
Lawrence P. Grube
Summit Engineering Corp
5405 Mae Anne Avenue
Reno, Nevada 89523



2-8-2003

0596786

BK1103PG06479

DOUGLAS COUNTY

EXHIBIT "A" - Page 9 of 12
PARCEL 8

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point on the Southerly Right-of-Way of Topsy Lane from which the Center Section of said Section 6 bears South 27°46'02" West a distance of 1427.31 feet;

thence with said Right-of-Way from a tangent which bears North 78°07'28" East, along a circular curve to the left with a radius of 540.00 feet and a central angle of 04°23'05" an arc length of 41.33 feet;

thence departing said Right-of-Way North 73°44'23" East a distance of 12.15 feet;

thence along a tangent circular curve to the right with a radius of 285.50 feet and a central angle of 13°02'54" an arc length of 65.02 feet;

thence along a tangent circular curve to the left with a radius of 314.50 feet and a central angle of 09°27'32" an arc length of 51.92 feet;

thence along a tangent circular curve to the right with a radius of 446.00 feet and a central angle of 12°04'54" an arc length of 94.05 feet;

thence along a tangent circular curve to the right with a radius of 26.00 feet and a central angle of 90°54'58" an arc length of 41.26 feet;

thence with a non-tangent line South 89°40'23" East a distance of 42.87 feet;

thence departing said Right-of-Way South 00°19'37" West a distance of 939.45 feet;

thence South 89°32'49" West a distance of 329.16 feet;

thence North 00°18'51" East a distance of 926.02 feet to the Point of Beginning.

EXCEPTING THEREFROM all that property contained within parcels 1, 2, and 3 as described heretofore within this document.

Said parcel contains an area of approximately 6.18 acres.



0596786

BK1103PG06480

DOUGLAS COUNTY

EXHIBIT "A" - Page 10 of 13

Basis of Bearings: Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.



Legal Description Prepared by:
Nevada Professional Land Surveyor 6995
Lawrence F. Grube
Summit Engineering Corp
5405 Mae Anne Avenue
Reno, Nevada 89523

2-3-2003

0596786

BK 1103 PG 06481

DOUGLAS COUNTY

EXHIBIT "A" - Page 11 of 12
PARCEL 9

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point on the Southerly Right-of-Way of Topsy Lane from which the Center Section of said Section 6 bears South 37°51'52" West a distance of 1620.05 feet;

thence with said Right-of-Way South 89°40'23" East a distance of 47.13 feet;

thence North 00°19'37" East a distance of 1.96 feet;

thence along a tangent circular curve to the right with a radius of 26.00 feet and a central angle of 89°12'33" an arc length of 40.48 feet;

thence North 89°32'10" East a distance of 9.27 feet;

thence departing said Right-of-Way South 00°43'23" East a distance of 227.42 feet;

thence North 89°16'37" East a distance of 294.00 feet;

thence North 00°43'23" West a distance of 226.11 feet to a point on said Right-of-Way;

thence with said Right-of-Way North 89°31'04" East a distance of 8.82 feet;

thence along a tangent circular curve to the right with a radius of 285.50 feet and a central angle of 11°28'43" an arc length of 57.20 feet;

thence along a tangent circular curve to the left with a radius of 314.50 feet and a central angle of 11°28'42" an arc length of 63.01 feet;

thence along a tangent circular curve to the right with a radius of 934.65 feet and a central angle of 01°17'57" an arc length of 21.19 feet to a point on the Westerly Right-of-Way of U.S. Highway 395;

thence with said Right-of-Way along a non-tangent line South 07°48'25" West a distance of 964.24 feet;

thence departing said Right-of-Way South 89°32'49" West a distance of 400.09 feet;

0596786

BK1103PG06482

DOUGLAS COUNTY

EXHIBIT "A" - Page 12 of 12

thence North 00°19'37" East a distance of 939.45 feet to
the Point of Beginning.

EXCEPTING THEREFROM all that property contained within parcels 4,
5, and 6 as described heretofore within this document.

Said parcel contains an area of approximately 8.70 acres.

Basis of Bearings: Amended Record of Survey for Douglas County
#32, filed for record July 11, 2000 in Book 0700 of Official
Records at Page 1320, Document No. 495561.

Lawrence F. Grube

2-8-2003

Legal Description Prepared by:
Nevada Professional Land Surveyor 5995
Lawrence F. Grube
Summit Engineering Corp
5405 Mae Anne Avenue
Reno, Nevada 89523

0596786

BK1103PG06483

EXHIBIT "A" - Page 2 of 6

ADJUSTED PARCEL 6

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at a point from which the Center Section of said Section 6 bears South 55°16'48" West a distance of 1573.93 feet;

thence North 89°16'31" East a distance of 64.00 feet;

thence North 00°43'29" West a distance of 50.00 feet;

thence North 89°16'31" East a distance of 115.16 feet to a point on the westerly right-of-way of U.S. Highway 395;

thence South 07°48'25" West along said westerly right-of-way a distance of 271.93 feet;


thence North 82°24'33" West leaving said westerly right-of-way a distance of 140.29 feet;

thence North 00°43'29" West a distance of 198.63 feet to the Point of Beginning.

Said parcel contains an area of approximately 38,147 square feet (0.876 acres).

Basis of Bearings: Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.

Prepared by:
Nevada Professional Land Surveyor 15428
Clifford W. Ray
Capital Engineering
P.O. Box 3750
Carson City, Nevada 89702



9.11.03

0596786

BK 1103 PG 06484

EXHIBIT "A" – Page 3 of 6

ADJUSTED PARCEL 8

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at the northwest corner of Parcel 8, as shown on that certain Record of Survey in support of a Boundary Line Adjustment, Book 403, Page 1471, Document No. 572306, Official Records of Douglas County, Nevada, said point also being on the Southerly Right-of-Way of Topsy Lane from which the Center Section of said Section 6 bears South 27°46'02" West a distance of 1427.31 feet;

thence with said Right-of-Way from a tangent which bears North 78°07'28" East, along a circular curve to the left with a radius of 540.00 feet and a central angle of 04°23'05" an arc length of 41.33 feet;

thence North 73°44'22" East a distance of 12.15 feet;

thence along a tangent circular curve to the right with a radius of 285.50 feet and a central angle of 13°02'54" an arc length of 65.02 feet;

thence along a tangent circular curve to the left with a radius of 314.50 feet and a central angle of 09°27'32" an arc length of 51.92 feet;

thence along a tangent circular curve to the right with a radius of 446.00 feet and a central angle of 12°04'54" an arc length of 94.05 feet;

thence along a tangent circular curve to the right with a radius of 26.00 feet and a central angle of 90°54'58" an arc length of 41.26 feet;

thence with a non-tangent line South 89°40'24" East a distance of 42.87 feet;

thence departing said Right-of-Way South 00°19'37" West a distance of 939.45 feet;

thence South 89°32'43" West a distance of 329.24 feet;

thence North 00°18'51" East a distance of 926.02 feet to the Point of Beginning.

0596786

BK 1103 PG 06485

EXHIBIT "A" - Page 4 of 6


ADJUSTED PARCEL 8, cont.

EXCEPTING THEREFROM all that property contained within parcels 2, and 3 as shown on that certain Record of Survey in support of a Boundary Line Adjustment, Book 403, Page 1471, Document No. 572306, Official Records of Douglas County, Nevada and Adjusted Parcel 1 described heretofore within this document.

Said parcel contains an area of approximately 6.24 acres.

Basis of Bearings: Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.

Prepared by:
Nevada Professional Land Surveyor 15428
Clifford W. Ray
Capital Engineering
P.O. Box 3750
Carson City, Nevada 89702



9.11.03

0596786

BK 1103 PG 06486

EXHIBIT "A" – Page 5 of 6

ADJUSTED PARCEL 9

A parcel of land situate within the South Half of the Northeast Quarter of Section 6, Township 14 North, Range 20 East, Douglas County, Nevada, more particularly described as follows:

Beginning at the northwest corner of Parcel 9, as shown on that certain Record of Survey in support of a Boundary Line Adjustment, Book 403, Page 1471, Document No. 572306, Official Records of Douglas County, Nevada, said point also being on the Southerly Right-of-Way of Topsy Lane from which the Center Section of said Section 6 bears South $37^{\circ}51'52''$ West a distance of 1620.06 feet;

thence with said Right-of-Way South $89^{\circ}40'24''$ East a distance of 47.13 feet;

thence North $00^{\circ}19'36''$ East a distance of 1.96 feet;

thence along a tangent circular curve to the right with a radius of 26.00 feet and a central angle of $89^{\circ}12'33''$ an arc length of 40.48 feet;

thence North $89^{\circ}32'09''$ East a distance of 9.37 feet;

thence departing said Right-of-Way South $00^{\circ}43'23''$ East a distance of 227.42 feet;

thence North $89^{\circ}16'37''$ East a distance of 294.00 feet;

thence North $00^{\circ}43'23''$ West a distance of 226.11 feet to a point on said Right-of-Way;

thence with said Right-of-Way North $89^{\circ}31'04''$ East a distance of 8.72 feet;

thence along a tangent circular curve to the right with a radius of 285.50 feet and a central angle of $11^{\circ}28'43''$ an arc length of 57.20 feet;

thence along a tangent circular curve to the left with a radius of 314.50 feet and a central angle of $11^{\circ}28'43''$ an arc length of 63.01 feet;

thence along a tangent circular curve to the right with a radius of 934.65 feet and a central angle of $01^{\circ}18'19''$ an arc length of 21.29 feet to a point on the Westerly Right-of-Way of U.S. Highway 395;

thence with said Right-of-Way along a non-tangent line South $07^{\circ}48'25''$ West a distance of 964.24 feet;

thence departing said Right-of-Way South $89^{\circ}32'43''$ West a distance of 400.19 feet;

0596786

BK 1103 PG 06487

EXHIBIT "A" -- Page 6 of 6

ADJUSTED PARCEL 9, cont.


thence North 00°19'37" East a distance of 939.45 feet to the Point of Beginning.

EXCEPTING THEREFROM all that property contained within parcels 4, and 5 as shown on that certain Record of Survey in support of a Boundary Line Adjustment, Book 403, Page 1471, Document No. 572306, Official Records of Douglas County, Nevada and Adjusted Parcel 6 described heretofore within this document.

Said parcel contains an area of approximately 7.00 acres.

Basis of Bearings: Amended Record of Survey for Douglas County #32, filed for record July 11, 2000 in Book 0700 of Official Records at Page 1320, Document No. 495561.

Prepared by:
Nevada Professional Land Surveyor 15428
Clifford W. Ray
Capital Engineering
P.O. Box 3750
Carson City, Nevada 89702



0596786

BK1103PG06488