

APN: 1220-03-210-019; 1220-03-210-019;
1320-30-511-014

Recording Requested By
And When Recorded Mail To:

✓ Gale Building Products
325 E Nugget Ave Ste 105
Sparks, NV 89431

Douglas County - NV
Werner Christen - Recorder
Page: 1 Of 2 Fee: 15.00
BK-0208 PG- 5111 RPTT: 0.00



NOTICE OF MECHANIC'S LIEN

The undersigned claims a lien upon the property described in this notice for work, materials or equipment furnished for the improvement of the property:

1. The amount of the original contract is: \$ 1002.00
2. The total amount of all changes and additions, if any, is: \$ 15.00
3. The total amount of all payments received to date is: \$ 0.00
4. The amount of the lien, after deducting all just credits and offsets, is: \$ 1017.00
5. The name of the owner, if known, of the property is:
Laura Olsen; Montana V Damann; Thomas L Campbell
6. The name of the person by whom the lien claimant was employed or to whom the lien claimant furnished work, material or equipment is:
Syncon Homes 990 Ironwood DR Minden, NV 89423
7. A brief statement of the terms of payment of the lien claimant's contract is:
WHAT DOES THE CONTRACT SAY RE: **Net 30 After Invoice**
8. A description of the property to be charged with the lien is:

Lot #	APN	Address	Subdivision
17	1220-03-210-019	1409 HONEY LOCUST AVE GARDNERVILLE, NV 89410	ARBOR GARDENS
18	1320-30-511-014	985 BELLA MONTE DR MINDEN, NV 89423	LA COSTA

137	1220-03-311-045	1372 PIN OAK DR GARDNERVILLE, NV 89410	ARBOR GARDENS
-----	-----------------	---	---------------

DATED this 20 day of February, 2008.

Gale Building Products

Kimberly Seamons

By: Kimberly Seamons AR Administrator

STATE OF NEVADA)
COUNTY OF WASHOE)

On this 20 day of February, 2008, personally appeared before me, a
Notary Public Kimberly Seamons personally known to me to be the
person(s) whose name is subscribed to the above instrument who acknowledged that
she executed this instrument. Witness my hand and official seal.

Christina A. Loveland
Notary Public

My commission expires: 4-17-10

Consult an attorney if you doubt this forms fitness for your purpose.

