Assessor's Parcel Number: N/A	OFFICIAL RECORD Requested By: DC/COMPTROLLER
Date: JANUARY 28, 2010	Douglas County - NV Karen Ellison - Recorder Page: 1 Of 10 Fee:
Recording Requested By:	BK-0110 PG-5383 RPTT:
Name: HEATHER FIELD, COMPTROLLER'S OFC	\\
Address:	
City/State/Zip:	
Real Property Transfer Tax: \$ N/A	

0.00

TEASE #2010.021
(Title of Document)

BK- 0110 PG- 5384 01/28/2010

57840 Page: 2 Of 10 01/28/201

Lease Agreement

Customer: DOUGLAS, COUNTY OF

BillTo: DOUGLAS COUNTY

COMMUNITY DEVELOPMNT

P O Box 218 Minden, NV 89423

Negotiated Contract: 072456400

Install: DOUGLAS COUNTY

COMMUNITY DEVELOPMNT

1594 Esmeralda Ave Minden, NV 89423

Photo for Display Only



xerox (

Solution			
Product Description	Agreement Information	Frade Information	Requested
ltem			install Date
1. WCM20I (22PPM COP/PR/SCAN/FX)			
- Carrier Deliv/instal	Lease Term: 60 months	- Xerox DWC635 S/N T7M008902	2/18/2010
	Purchase Option: FMV	Trade-in	
The second of th	em - N	10 1 10 10 10 10 10 10 10 10 10 10 10 10	

Monthly Pricing

ltem	Lease Minimum Payment	Meter	Print Charges Volume Band	Per Print Rate	Maintenance Plan Features
1. WCM20I	\$22.50	1: Total	All Prints	\$0.0200	- Consumable Supplies Included for all prints - Pricing Fixed for Term
Total	\$22.50	· 東 いるのいとう あいないのはなる とれる こうか	ments (Excluding Ap	を含く、多くないないない。 というないないない。	and the second s

DJAN 27 PM 2: 34
TED THRAN
CLERK
OTHERS

Authorized Signature

Customer acknowledges receipt of the terms of this agreement which consists of 2 pages including this face page.

Signer: Claudette Springmeyer

Phone: (775)782-9098

Signature: Assurgney

Date: 1/25/10

Thank You for your business!
This Agreement is proudly presented by Xerox and

M. Decarlo-Lintzner (775)833-0623

For information on your Xerox Account, go to <u>www.xerox.com/AccountManagement</u>



BK-0110 5385 10 01/28/2010

Lease Agreement



INTRODUCTION:


1. NEGOTIATED CONTRACT. The Products are subject solely to the terms in the Negotiated Contract identified on the face of this Agreement, and, for any option you have selected that is not addressed in the Negotiated Contract, the then-current standard Xerox terms for such option.

PRICING PLAN/OFFERING SELECTED:

2. FIXED PRICING. If "Pricing Fixed for Term" is identified in Maintenance Plan Features, the maintenance component of the Minimum Payment and Print Charges will not increase during the initial Term of this Agreement.


GENERAL TERMS & CONDITIONS:

3. REMOTE SERVICES. Certain models of Equipment are supported and serviced using data that is automatically collected by Xerox from the Equipment via electronic transmission from the Equipment to a secure off-site location. Examples of automatically transmitted data include product registration, meter read, supply level, Equipment configuration and settings, software version, and problem/fault code data. All such data shall be transmitted in a secure manner specified by Xerox. The automatic data transmission capability will not allow Xerox to read, view or download the content of any Customer documents residing on or passing through the Equipment or Customer's information management systems.



Terms and Conditions

0757840 Page: 4 Of 10 01/28/2010



Proposal for Douglas County

Prepared by M. Decarlo-Lintzner

Phone: (775)833-0623

Email: Michelle.DeCarlo@xerox.com

Еях: (877)518-4579

Date: 12/18/2009

Pricing Expiration Date: 01/17/2010



Financial Analysis

Solution Summary

Solution

Xerox Products	Trade-In 1. DWC635	Xerox Solution
1 1		1. WCM20I (22PPM COP/PR/SCAN/FX)

Proposed Monthly Pricing

	FixeCorpe FXVIII	i dopostoje. Događaji			
Xerox Solution	\$22.50	Included	0	\$0.00	\$22.50

Financial Considerations

All information in the proposal is considered confidential and is for the sole use of Douglas County. This pricing is based upon a 60 month Fair Market Value Lease utilizing your negotiated contract: 072456400. Consumable supplies are included for all prints. Paper and staples are extra.



Proposal for Douglas County

Proposed Costs

Financial Details

1. WCM20I	\$22.50	Included	1: Total	All Prints	\$0.0200	0	\$0.00	\$22.50
						4N/t- 2-		





Product Overview: WorkCentre® M20/M20i

The WorkCentre M20/M20i desktop multifunction systems are designed to meet the copy, print, fax, and scanning needs of small offices and professional workgroups. The WorkCentre M20/M20i handles both letter and legal-size documents and is available in two black-and-white configurations, each offering print and copy speeds of up to 22 pages per minute (ppm).

The WorkCentre M20 is a digital copier/printer with color scanning. It can be upgraded to include network printing and color scan to e-mail. The WorkCentre M20i is a networked, multifunction system. It can copy, print, color fax, and color scan to e-mail. The M20i offers fast fax speeds due to compression technology that creates smaller files that can be faxed quicker, saving time and telephone costs. It offers remote device monitoring and management capabilities through the Web. In addition, the intuitive user interface, simple print drivers, and easy scan to e-mail capability require little to no training.

Both devices come bundled with OmniPage® Optical Character Recognition (OCR) software and PaperPort® image editing software to convert scanned images into editable text documents. The M20/M20i supports third party devices (through the Foreign Device Interface option): Danyl Vend Station-Card Reader and External Auditron, Jamex Vend Station-Card Reader, Hecon Mechanical Auditron, and Remote Meter.

Value Propositions

- Extremely simple to use
 - Intuitive user interface and simple print drivers
 - Easy to use features Copy / Print / Fax / Scan / E-mail
- Extra smart design
 - Push-button simple scan to e-mail
 - Embedded Network Interface Card smart network connection
 - Automatically feed from multiple trays
 - Automatic scan once/print many with collated sets
- Excellent performance
 - 22 (Letter) ppm
 - **Automatic Duplex**
 - Faster faxing (M20i) at 33.6Kbps (JBIG)

M20/M20i vs. the Competition

- Fastest first-page-out time 8 seconds (copy), 9 seconds (print)
- Best-in-class fax (M20i) JBIG compression; more security
- Larger duplex automatic document feeder (DADF) 50 sheets
- Faster scanning performs at or near rated output speed
- Color scanning up to 4800 dpi interpolated



WorkCentre M20/M20i


Editor's Choice 2005 Low-Volume Copier and Multifunctional Guide

Ratter Rive for Rusiness

Proposal for Douglas County

- Superior scanning software easily re-use and re-purpose information with PaperPort and Omnipage
- · More powerful remote device management tools CentreWare
- Job accounting internal/external metering, competition has none

Please see the Xerox Web site at www.xerox.com/office for additional features and benefits, a demo, and a brochure related to the M20/M20i.



PG-

0110

5391 Page: 9 Of 10

PRODUCT SPECIFICATIONS

CopyCentre C20 / WorkCentre M20/M20i

CopyCentre® C20 / WorkCentre® M20 / M20i



Second Paper tray Option



Cabinet Stand Ordion

SPECIFICATIONS

Speed: 22 copies per min. (letter); 21 copies per min. (A4) Resolution: 600 x 800 dpi Resolution: 600 x 660 dpi first Copy Out; - 8 seconds Full Dinplac; Yas (1-2, 2-2, 2-1) Reduce/Enforge Platen: 25 - 100% in 1% increments DADE: 25 - 100% in 1% increments DADE: 25a 100e yill Many, Electronic Pre-Calision standard Mithitle Consist 15 to 600 conject of

Multiple Copies: Up to 999 copies of inutiple page originals

Printing (M20, M20i)

Technology, Laser monochrone Speed: 22 ppm Letter; 21 ppm A4 Resclution: 600 x 800 dpi; 1200 x 1200 dpi interpolated First Print Out; < 9 seconds Two-Sited: Was Secure Print: Optional Page Description is prespec (PTI) : Page Description Language (PDL): PCL6 emulation Standard: PostScript 3 printing support (Network products) Print Orivers: Windows 98/NT4.0/2000/Me/XP. Mac OS

interfaces: USR 2.0 standard on M20 and M20 (USB cable included): Parallel Port, IEEE 1284, 10/1008aseT Ethernet standard on M20), petional on M20

Scan (M20, M20i)

Compatibility: TWAIN standard Technology: Direct Connect to PC (USB): Parallel Port, IEEE 1284 Scan Resolution: Optical Resolution: 600 x 600 dpi Interpolated Resolution: 4800 dpl Pre-sean: 75 dpl

	CARLES OF THE CONTRACT OF THE			
CONFIGURATIONS	CopyCentre* C20 WorkCentre* M20 WorkCentre* M20i			
Speed	Up to 22 ppm			
Duty Cycle	Up to 20.000 pages per month			
Paper Handling Paper Input Standard	550-sheet Slandard Tray, 100-sheet Bypass Tray			
Optional	550-sheet Feeder			
Paper output	250-sheet Output Tray			
Automatic 2-sided	Standard			
Copy First copy out time	As fast as 8 seconds			
Resolution	600 x 600 dpi			
Print Resolution	600 x 600 dpl, 1200 x 1200 dpi interpolater			
Processor	NA 32-bit RISC processor with video controller functionality			
Connectivity	NA USB 2.0, Parallel USB 2.0, Parallel 10/100 Base F Etherne			
Optional accessories	Optional Metwork Accessory Kit			
	Octional Secure Print and Network Authentication Kit			
Scan Resolution	NA 600 x 500 dpt x800 dpt interpolated			
Scan-to-email	NA Cophoral Standard			
Fax Speed	NA			
Resolution	NA NA Preses up to 410 x 400 up			
	All Control of the Co			

Text and Halflone: 20 bit Color: 60 hit Color: 60 nn Scan Driver: TWA:N Standard Bundleti OCR Software: PaperPort SE 9.0, OmriPage SE v2.0

Faxing [M20]]

Transmission Speed: 3 seconds per page Communication Mode: Half Duplex Modern Speed: 33.6 Ktps Data Compression: JBIG, MMR/MR/MH (UPEG for color fax transmission) Resolution: Pre-sets up to 400 x 400 dpl Fax Memory: 16 MB

Dialing
Speed Dials Up to 200 locations
Group Dials Up to 199 supported Fax Features

Faitones: 256 levels Cotor Fax Tx:Rec: Yes/No Secure Fax: Receive Mode, secure mailbox Ballery Backup: Up to 100 hours when fully charged

Email (M20i, Optional M20)

Scan to SMTP addresses Eoral user access and authentication Device network access and authentication Guest mode access is available Network address list search via LDAP

Device Memory

C20: 32-MB, M20: 32 MB, M20 (with Network Accessory Kit): 64 MB, M20 (with Network Authentication Kit and Secure Print): 160 MB, M20: 80 MB, M20! (with Network Authentication Kit and Secure Pilot): 176 MB

Device Management

ControlCentre¹⁴ 5.0. CentreWare Inturnet Services, CentreWare Web, CentreWare DP, NDPS and HP Openview

Optional Accessories

Optional Accessories

(Network Accessory Kii (M20) (cusiomer Installable)

Adds 32MB Memory, Ethernet Nic. PostScrpt*3

printing support, Email Keyboard, and anylicable
software and documentation

Secure Print and Network Authentization Kit*

(M20/M201) (customer installable) adds 96 MB
and applicable software, Enables Secure Print
and Network Authentication for Scan-lo-email

15 SMB or Verbeure.

via SMB or Kerberos Second Paper Tray Cabinet Stand Foreign Device Interface (Service Install)

Media Handling

Input Paper Capacity
Standard Tray: 550 sheets, optional second tray (550 sheets)

(550 sheets)
Bypass Tray: 100 sheets
Auto Tray Switching Capable
Paper Size
Minimum: 5 x 7 in. / 127 x 176 mm
Maxanum: 6.5 x 14 in. / 216 x 356 mm
Paper Weight
Bypass Tray: 16 ~ 24 ib / 60 ~ 90 gsm
Bypass Tray: 16 ~ 43 ib / 60 ~ 163 gsm
Document Handlor: 50 sheets
Media Types: Paper envelopes, fabels, transparencies

Physical Dimensions (WxDxH)

Physical Darmanishes (WADDA); Unit 21.3 x 17.4 x 19.2 in./540 x 441 x 488 mm, Weight: 58 lbs / 28 kg Unit with Second Paper Tray Option: 21.3 x 17.4 x 24.4 in./540 x 441 x 619 mm, Weight: 67 lbs / 30 kg Cabinet Stand Option: 21.1 x 21.8 x 23.4 in./ 540 x 560 x 600 mm

Electrical

Power Switch: Yes
Power: 110 VAC. 50/60 Hz or 220 VAC. 50/60 Hz
Power: Consumption:
Average: 450 waits
Power Saver Mode: 35 waits
Energy Saver: ENERGY STAR® Compilant

Operating Environment


Temperature Maximum Range 50" - 89.6"F/10" - 32°C Recommended Range 60.8" - 86"F/16" - 30"C Maximum Rangs 20 -- 80% Recommended Range 30 -- 70%

Supplies

Approximate Yields
Toner Customer Replaceable Unit (CRU) —
Starter kit: 4.000 images ": Replacement kit:
9.000 images Starter kit: 4.000 images 1: Replacement kit: 8,000 images
Drum Cartridge Customer Replaceable Unit (CRU) – 20,000 images
Casecities are approximate, based on 5% coverage on a latterA4-sized page. Declared yield values in accordance with 15019572.

Agency Approvals

Salely: UL Safety CSA Safety











BK- 0110 PG- 5392 0757840 Page: 10 Of 10 01/28/2010

